



# 350 D

## INLINE DRYER BASE



Shown with Fannon  
LSHII-240-5-16  
(8000 Watt Dryer)

The series 350 D Inline Dryer Base is designed to give you more flexibility for a faster return on your investment. The modular base design features durable full frame construction, 12" wide transport rollers and easy mobility. It can be used inline with our 350 IJ series inkjet addressing machine base or used with existing equipment. Combined with a Fannon Light Speed II dryer running aqueous and other coated stocks no longer means having to slow production down to a crawl.

### 350 D Features

- |   |                              |
|---|------------------------------|
| 1 Heavy Duty Full Frame Construction            | 1 Independent Vacuum Control |
| 1 Triple Safety Interlocks With Operator E-Stop | 1 Variable Speed Transport   |
| 1 12" Wide Transport Rollers                    | 1 Adjustable Heat Belts      |
| 1 Integrated Fannon Temperature Control         | 1 Center Table Vacuum        |

### Available with Fannon Light Speed II IR Dryers

- |  |                                  |
|--|----------------------------------|
| 1 Faster Line Speeds   | 1 Reduced Electrical Consumption |
| 1 Lower Belt And Surrounding Temperatures                      | 1 Prolonged Lamp Life            |
| 1 Utilizes High Efficiency Infrared Lamps (50% More Efficient) |                                  |



350 D Shown with Walco: 350 IJ, 960 VSC, 220 CS & Straight Shooter SS12

### 350 D

#### Technical Specifications:

- Transport Speed: 0 - 600 FPM - Infinitely Variable (#10 Envelopes ~40,000 pcs/Hr)
- Transport Direction: Left to Right or Right to Left
- Material Size: Min. 2" x 3" - Max. 20"
- Material Thickness: Up To 1 1/2"
- Physical: 35"L x 23"W x 33-36"H (Adjustable Leveling Feet)
- Electrical: 110 VAC Single Phase 10 Amp Circuit



#### Quality Components:

- Lesson Gear Drive Motor
- Penta Drive Controllers
- Cast Regenerative Blower
- Heavy Duty 5/8" Shafts & Bearings

#### Options:

##### Upstream Product Interlock Sensor

The interlock only allows the Fannon Dryer to turn on while product is flowing. This helps increase belt life, bulb life and reduce energy consumption.

##### Dryer Mount

This solid mount is easily adjustable and features a easy lift-away feature.

##### Fannon LSHII-240-5-16

- Drying Area: 5" x 16"
- Wattage: 8000W
- Voltage: 240V, 1-Phase 50/60Hz
- Current: 34 Amps
- Physical Dim.: 24"L x 7.75" W x 6"H

##### Fannon LSHII-240-4-10

- Drying Area: 4" x 10"
- Wattage: 4000W
- Voltage: 240V, 1-Phase 50/60Hz
- Current: 17 Amps
- Physical Dim.: 16.5"L x 5.25" W x 6.5"H



All Specifications Subject To Change Without Notice

Authorized Walco Systems Dealer

Walco Systems  
1431-B Lear Industrial Pkwy  
Avon, Ohio 44011

440.937.0909 440.937.0910 (fax)  
www.walcosystems.com



INLINE DRYER BASE